



Leicatex
MANUFACTURER OF STRAPPING FASTENERS AND ACCESSORIES


Canada and US 1-800-617-6504
info@leicatex.com
London 519-685-0281
www.leicatex.com

REGULAR DUTY STRAPPING SEALS

PUSH ON SEAL



SNAP ON SEAL



THREAD ON SEAL



REGULAR DUTY STEEL STRAPPING SEALS												
SEAL CODE	STRAP SIZE		SEAL TYPE	JOINT TYPE *	SEAL LENGTH		SEAL GAUGE		STANDARD PACK SIZE	BOX WEIGHT		
	Inch	mm			Inch	mm	Inch	mm		pcs / box	lbs	kg
LS301	3/8"	10	SNAP-ON	DN	1.000	25.4	0.020	0.5	2000 / 5000	10	24.5	11.1
LT38	3/8"	10	THREAD-ON	DN	1.000	25.4	0.020	0.5	2000 / 5000	10	25.0	11.4
LP38	3/8"	10	PUSH-ON	SN	0.860	21.8	0.025	0.6	2000 / 5000	14	34.3	15.6
LP32	3/8"	10	PUSH-ON	DN	1.000	25.4	0.025	0.6	2000 / 5000	16	39.0	17.7
LS401	1/2"	13	SNAP-ON	DN	1.000	25.4	0.020	0.5	2000 / 5000	12	30.0	13.6
LT12	1/2"	13	THREAD-ON	DN	1.000	25.4	0.020	0.5	2000 / 5000	13	32.0	14.5
LP12	1/2"	13	PUSH-ON	SN	0.860	21.8	0.025	0.6	2000 / 5000	17	41.5	18.9
LP42	1/2"	13	PUSH-ON	DN	1.000	25.4	0.025	0.6	2000 / 5000	19	48.5	22.0
LS501	5/8"	16	SNAP-ON	DN	1.000	25.4	0.020	0.5	2000 / 5000	14	35.0	15.9
LS58	5/8"	16	SNAP-ON	DN	1.250	31.8	0.020	0.5	2000 / 5000	17	43.0	19.5
LT58	5/8"	16	THREAD-ON	DN	1.000	25.4	0.025	0.6	2000 / 5000	19	46.5	21.1
LP58	5/8"	16	PUSH-ON	SN	0.860	21.8	0.025	0.6	2000 / 5000	20	50.5	23.0
LP52	5/8"	16	PUSH-ON	DN	1.000	25.4	0.025	0.6	2000 / 5000	24	59.0	26.8
LS601	3/4"	19	SNAP-ON	DN	1.000	25.4	0.020	0.5	2000 / 5000	16	40.0	18.2
LS34	3/4"	19	SNAP-ON	DN	1.250	31.8	0.020	0.5	2000 / 5000	20	49.0	22.3
LS701	3/4"	19	SNAP-ON	DN	1.500	38.1	0.020	0.5	2000 / 5000	23	58.5	26.6
LT34	3/4"	19	THREAD-ON	DN	1.000	25.4	0.025	0.6	2000 / 5000	22	54.0	24.5
LP34	3/4"	19	PUSH-ON	SN	0.860	21.8	0.025	0.6	2000 / 5000	23	57.0	25.9
LP62	3/4"	19	PUSH-ON	DN	1.000	25.4	0.025	0.6	2000 / 5000	27	67.5	30.7
LP34PNSC	3/4"	19	PUSH-ON	SN	1.047	26.6	0.025	0.6	2000 / 5000	29	71.6	32.5

*SN = Single Notch, DN = Double Notch

Material Finish: Electrogalvanized coating is Standard. Painted Red, White and Uncoated also available.

MAGAZINE SEAL



MAGAZINE SEALS											
SEAL CODE	STRAP SIZE		SEAL TYPE	JOINT TYPE *	SEAL LENGTH		SEAL GAUGE		STANDARD PACK	BOX WEIGHT	
	Inch	mm			Inch	mm	Inch	mm		lbs	kg
LNAL38	3/8"	10	MAGAZINE	DN	0.860	21.8	0.015	0.4	7000	22	10.0
LNMS38	3/8"	10	MAGAZINE	DN	0.680	17.3	0.020	0.5	12000	37	16.9
LNMA38	3/8"	10	MAGAZINE	SN	0.750	19.1	0.018	0.5	11000	35	16.0
LNAL12	1/2"	13	MAGAZINE	DN	0.860	21.8	0.015	0.4	10500	36	16.5
LNMS12	1/2"	13	MAGAZINE	DN	0.680	17.3	0.020	0.5	9000	31	14.1
LNMA12	1/2"	13	MAGAZINE	SN	0.750	19.1	0.025	0.6	10000	56	25.5
LNSFC 12/58	1/2"	13	MAGAZINE	DN	1.120	28.4	0.020	0.5	5000	32	14.3
LNAMP12	1/2"	13	MAGAZINE	DN	1.120	28.4	0.020	0.5	7000	44	20.0
LNH43	1/2"	13	MAGAZINE	DN	1.000	25.4	0.020	0.5	5000	29	13.2
LNMA58	5/8"	16	MAGAZINE	SN	0.750	19.1	0.025	0.6	8000	55	25.1
LNMB58	5/8"	16	MAGAZINE	DN	1.000	25.4	0.025	0.6	5000	49	22.3
LNH53	5/8"	16	MAGAZINE	DN	1.000	25.4	0.020	0.5	5000	36	16.5
LN MN 58	5/8"	16	MAGAZINE	SN	0.680	17.3	0.020	0.5	10000	38	17.5

HEAVY DUTY STRAPPING SEALS

HEAVY DUTY STEEL STRAPPING SEALS


SEAL CODE	STRAP SIZE		SEAL TYPE	JOINT TYPE *	SEAL LENGTH		SEAL GAUGE		STANDARD PACK	BOX WEIGHT	
	Inch	mm			Inch	mm	Inch	mm		lbs	kg
LS717	3/4"	19	SNAP-ON	DN	1.781	45.2	0.031	0.8	1000	24	11.0
LS34HDOF	3/4"	19	SNAP-ON	DN	2.187	55.5	0.031	0.8	1000	30	13.7
LT702	3/4"	19	THREAD-ON	DC/DN	1.781	45.2	0.031	0.8	1000	25	11.2
LT702LONG	3/4"	19	THREAD-ON	DC/DN	2.187	55.5	0.031	0.8	1000	34	15.5
LP34SHOC	3/4"	19	PUSH-ON	SN	1.375	34.9	0.035	0.9	2500	68	31.0
LP703	3/4"	19	PUSH-ON	DN	1.781	45.2	0.035	0.9	1000	36	16.1
LP34HOC	3/4"	19	PUSH-ON	DN	2.187	55.5	0.035	0.9	1000	43	19.6
LP25 S	1"	25	PUSH-ON	DN	1.781	45.2	0.035	0.9	1000	45	20.5
LP25	1"	25	PUSH-ON	DN	2.187	55.5	0.035	0.9	1000	55	24.9
LS114	1-1/4"	32	SNAP-ON	DC/DN	2.187	55.5	0.031	0.8	1000	43	19.7
LS114 HD	1-1/4"	32	SNAP-ON	DN	2.187	55.5	0.035	0.9	1000	50	22.7
LT802	1-1/4"	32	THREAD-ON	DN	2.187	55.5	0.031	0.8	1000	45	20.5
LT1032HD	1-1/4"	32	THREAD-ON	DN	2.187	55.5	0.035	0.9	1000	48	21.7
LT802LONG	1-1/4"	32	THREAD-ON	DC	2.937	74.6	0.035	0.9	1000	64	29.1
LT117	1-1/4"	32	THREAD-ON	DC	2.937	74.6	0.042	1.1	500	45	20.5
LP114SP	1-1/4"	32	PUSH-ON	SN	1.500	38.1	0.035	0.9	1000	45	20.5
LP114S	1-1/4"	32	PUSH-ON	DN	1.781	45.2	0.035	0.9	1000	55	25.0
LP114	1-1/4"	32	PUSH-ON	DN	2.187	55.5	0.035	0.9	1000	67	30.6
LT 2	2"	51	THREAD-ON	DC/DN	2.937	74.6	0.042	1.1	250	33	15.0
LT2LONG	2"	51	THREAD-ON	TC/DN	4.000	101.6	0.054	1.4	250	51	23.2

*SN = Single Notch, DN = Double Notch, DC = Double Crimp
 Geometry: For Push-On Seals - Standard, High Crest, and Flat Top Geometries also available.
 Material Finish: Electrogalvanized coating is Standard. Painted Red, White and Uncoated also available.


HD PUSH ON SEAL



HD SNAP ON SEAL




HD THREAD ON SEAL



MAGAZINE SEALS

SEAL CODE	STRAP SIZE		SEAL TYPE	JOINT TYPE *	SEAL LENGTH		SEAL GAUGE		STANDARD PACK	BOX WEIGHT	
	Inch	mm			Inch	mm	Inch	mm		lbs	kg
LNAMP58/34	5/8" - 3/4"	16-19	MAGAZINE	DN	1.120	28.4	0.020	0.5	6000	54	24.5
LNAMP58/34	5/8" - 3/4"	16-19	MAGAZINE	DN	1.120	28.4	0.020	0.5	5000	45	20.5
LNH63	3/4"	19	MAGAZINE	DN	1.000	25.4	0.020	0.5	4000	33	15.0
LNMNK34	3/4"	19	MAGAZINE	SN	0.750	19.1	0.033	0.8	6000	66	30.0
LNMB34	3/4"	19	MAGAZINE	DN	1.000	25.4	0.033	0.8	3000	44	19.8
LNAHP	3/4"	19	MAGAZINE	DN	1.500	38.1	0.031	0.8	2400	50	22.7
LNH635	3/4"	19	MAGAZINE	DN	1.500	38.1	0.033	0.8	2000	42	18.9
LNMI00	1"	25	MAGAZINE	DN	1.992	50.6	0.043	1.1	1200	61	27.6
LNA114	1-1/4"	32	MAGAZINE	DN	1.500	38.1	0.031	0.8	1750	55	25.2
LNMI14	1-1/4"	32	MAGAZINE	DN	1.992	50.6	0.043	1.1	1000	60	27.0
LNHI035	1-1/4"	32	MAGAZINE	DN	1.500	38.1	0.035	0.9	2000	62	28.3

Material Finish: Various depending on seal type: Electrogalvanized, Painted Red, White and Uncoated available.



SPECIALTY SEALS

Custom PRINTING AND EMBOSSING



If you are looking to brand your product packaging,
LEICATEX can meet your needs.

We can PRINT or EMBOSS your company name or logo to a large number of our products.

Contact us today to get a quote to get your name on your seals!

SERRATED SEALS

SERRATED PLASTIC STRAPPING SEALS										
SEAL CODE	STRAP SIZE		SEAL TYPE	SEAL LENGTH		SEAL GAUGE		STANDARD PACK	BOX WEIGHT	
	Inch	mm		Inch	mm	Inch	mm		lbs	kg
LS2100.13	1/2"	13	OPEN	1.185	30.1	0.030	0.8	1000	13	5.9
LS40/DY50	1/2"	13	SNAP ON	1.250	31.8	0.051	1.3	1000	19	8.8
LS2300.16	5/8"	16	OPEN	1.185	30.1	0.040	1.0	1000	21	9.6
LSDY58	5/8"	16	SNAP ON	1.500	38.1	0.043	1.1	1000	25	11.4
LNAMT 58	5/8"	16	MAGAZINE	1.115	28.3	0.054	1.4	1800	42	19.2
LS2600.19	3/4"	19	SEMI-OPEN	1.250	31.8	0.068	1.7	1000	39	17.7

I SERRATED SEALS


I LNAMT 58



LEICATEX's unique herringbone serration pattern give our serrated seals exceptional joint efficiency that is recognized in countries around the world!

PLASTIC STRAPPING SEALS

PLASTIC STRAPPING SEAL



PLASTIC STRAPPING SEALS										
SEAL CODE	STRAP SIZE		SEAL TYPE	SEAL LENGTH		SEAL GAUGE		STANDARD PACK	BOX WEIGHT	
	Inch	mm		Inch	mm	Inch	mm	pcs / box	lbs	kg
3020	3/8"	10	OPEN	1.250	31.8	0.020	0.5	2000	15	6.8
3120	3/8"	10	CLOSED	1.250	31.8	0.020	0.5	2000	16	7.3
4020	1/2"	13	OPEN	1.250	31.8	0.020	0.5	1000	10	4.5
4025	1/2"	13	OPEN	1.250	31.8	0.023	0.6	1000	12	5.3
4125	1/2"	13	CLOSED	1.250	31.8	0.023	0.6	1000	12	5.5
5020	5/8"	16	OPEN	1.250	31.8	0.020	0.5	2000	24	10.9
5025	5/8"	16	OPEN	1.250	31.8	0.023	0.6	1000	13	5.9
5125	5/8"	16	CLOSED	1.250	31.8	0.023	0.6	1000	15	6.9
6020	3/4"	19	OPEN	1.250	31.8	0.020	0.5	1000	13	5.9

PROTECTORS & ACCESSORIES

CORNER PROTECTORS



PROTECTORS AND ACCESSORIES										
SEAL CODE	STRAP SIZE		PRODUCT TYPE	LENGTH		PRODUCT GAUGE		STANDARD PACK	BOX WEIGHT	
	Inch	mm		Inch	mm	Inch	mm	pcs / box	lbs	kg
CP34	3/4"	19	CORNER PROTECTOR	1.750	44.5	0.030	0.8	1000	40	18.2
#10 GALV	1-1/4"	32	CORNER PROTECTOR	2.500	63.5	0.030	0.8	500	42	19.1
CP114	1-1/4"	32	CORNER PROTECTOR (with holes)	3.000	76.2	0.030	0.8	500	54	24.5
#10 GALV (020)	1-1/4"	32	CORNER PROTECTOR	2.500	63.5	0.020	0.5	500	28	12.7
#10 BLANK (020)	1-1/4"	32	CORNER PROTECTOR	2.500	63.5	0.020	0.5	500	28	12.7
20A	2"	51	STAKE POCKET PROTECTOR	12.000	304.8	0.034	0.9	250	71	32.4
10A	2"	51	STAKE POCKET PROTECTOR	6.000	152.4	0.034	0.9	400	57	25.9
		0								
LI-114	1-1/4"	32	INTERSECTION SEAL	1.875	47.6	0.030	0.8	500	26	11.8

INTERSECTION SEAL



STAKE POCKET PROTECTORS



BUCKLES & ACCESSORIES

WIRE BUCKLES									
SEAL CODE	STRAP SIZE		FINISH	BUCKLE GEOMETRY	WIRE DIAMETER		STANDARD PACK	BOX WEIGHT	
	Inch	mm			Inch	mm		lbs	kg
LB12NX096	1/2"	13	CLN BRT	Notched	0.096	2.4	1000	11	5.0
LB12NX105	1/2"	13	CLN BRT	Notched	0.105	2.7	1000	13	5.9
LB12SX126	1/2"	13	PHOS	Square	0.120	3.0	1000	16	7.1
LB12NX126	1/2"	13	PHOS	Notched	0.120	3.0	1000	17	7.8
LB58NX105	5/8"	16	CLN BRT	Notched	0.105	2.7	1000	14	6.4
LB58SX126	5/8"	16	PHOS	Square	0.120	3.0	1000	17	7.6
LB58NX126	5/8"	16	PHOS	Notched	0.120	3.0	1000	20	9.1
LB58NX135	5/8"	16	PHOS	Notched	0.135	3.4	1000	25	11.3
LB34SX126	3/4"	19	PHOS	Square	0.120	3.0	1000	20	9.3
LB34NX120	3/4"	19	PHOS	Notched	0.120	3.0	1000	22	9.9
LB34NX135	3/4"	19	PHOS	Notched	0.135	3.4	1000	27	12.4
LB34NX160	3/4"	19	PHOS	Notched	0.160	4.1	1000	39	17.6
LB34VX160	3/4"	19	PHOS	V-Cross	0.160	4.1	1000	43	19.4
LB114NX272	1-1/4"	32	PHOS	Notched	0.275	7.0	250	55	25.0

BUCKLES




OUR HISTORY

LEICATEX is an ISO certified manufacturer with a proven track record of high quality.

Founded in 1973, we have over 40 years of experience and are a recognized market leader in the industry.

Our 65,000 ft² manufacturing facility is located in London, Ontario, Canada.
Our European warehouse is centrally located in Plettenberg, Germany.



Leicatex

MAKERS OF PRECISION WIRE AND STRIP COMPONENTS



Canada and US 1-800-617-6504
info@leicatex.com
London 519-685-0281
www.leicatex.com